

Message

---

**From:** Nonresponsive based on revised scope [redacted]@WestonSolutions.com]  
**Sent:** 1/14/2020 9:09:35 PM  
**To:** Wagner, Christine [Wagner.Christine@epa.gov]  
**Subject:** RE: Property 2 item with clip, 4.5mR on contact  
**Attachments:** Property 2 - beltclip item, 4.5mR on contact.jpg

See attached. The image was flagged/pulled from the original email.

Thank you,

Nonresponsive based on revised scope

---

**From:** Wagner, Christine [mailto:Wagner.Christine@epa.gov]  
**Sent:** Tuesday, January 14, 2020 16:05  
**To:** Nonresponsive based on revised scope [redacted]@WestonSolutions.com>  
**Subject:** Re: Property 2 item with clip, 4.5mR on contact

**\*\* External Email \*\***  
no attachment

On Jan 14, 2020, at 3:04 PM, Nonresponsive based on revised scope [redacted]@westonsolutions.com> wrote:



Nonresponsive based on revised scope

**CONFIDENTIALITY:** This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

**WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.**

**CONFIDENTIALITY:** This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.